

Figure 1






FIG. 2



METTLER TOLEDO STAR® System


FIG. 3



METTLER TOLEDO STAR® System

FIG. 4

exo MIXTURE OF FORM 1: FORM 2 DS: 75



METTLER TOLEDO STAR® System

FIG. 5




FIG. 6

^exo MIXTURE OF FORM 1: FORM 2 75:25


4.1500mg

Method: 30-250C, 10C/min, 40ml/min N2

30.0-250.0°C 10.00°C/min

N2, 40.0 ml/min


Integral -457.80 mJ
 normalized -110.31 Jg^-1
 Peak 157.84 °C
 Left Limit 144.95 °C
 Right Limit 169.60 °C



METTLER TOLEDO STAR® System

FIG. 7

^exo MIXTURE OF FORM 1: FORM 2 84:16



METTLER TOLEDO STAR® System

FIG. 8

MIXTURES OF FORM 1 AND FORM 2




FIG. 9

MIXTURES OF FORM 1 AND FORM 2 AFTER GAINING




FIG. 10

MIXTURES OF FORM 1 AND FORM 2 STORED AT 100%




FIG. 11

MIXTURES OF FORM 1 AND FORM 2 STORED AT 80% RH




FIG. 12

MIXTURES OF FORM 1 AND FORM 2 STORED AT 60% RH

